


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

☐ Advanced Search

[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)
**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#)

<input type="text"/>	in All Fields	<input type="button" value="v"/>
<input type="button" value="AND"/> <input type="text"/>	in All Fields	<input type="button" value="v"/>
<input type="button" value="AND"/> <input type="text"/>	in All Fields	<input type="button" value="v"/>

» Note: If you use all three search boxes, the entries in the first two boxes takes precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

<input type="text" value="memberu&lt;and&gt;kim&lt;and&gt;kopley&lt;and&gt;NMOS"/>	<input type="button" value="v"/>
--	----------------------------------

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

## » Publications

☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference
- ☒ IEE Conference P
- ☒ IEEE Standards

## » Other Resources (Availat

- ☒ IEEE Books

## » Select date range

- ☐ Search latest content u
- ☒ From year  to

## » Display Format

- ☒ Citation ☐ Citatic

## » Organize results

- Maximum
- Display  res
- Sort by
- In

[Help](#) [Contact Us](#)

© Copyright 2005

 Indexed by

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

☐ Advanced Search[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#) in All Fields  in All Fields  in All Fields 

» Note: If you use all three search boxes, the entries in the first two boxes takes precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#) 

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

## » Publications

☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference
- ☒ IEE Conference P
- ☒ IEEE Standards

## » Other Resources (Availat

- ☒ IEEE Books

## » Select date range

- ☐ Search latest content u
- ☒ From year  to

## » Display Format

- ☒ Citation ☐ Citatic

## » Organize results

- Maximum
- Display  res
- Sort by
- In

[Help](#) [Contact Us](#)

© Copyright 20

Indexed by  
 Inspec



hot-carrier 2005 OR 2004 OR 2003 OR 2002 OR 2001 OR 2000 "Zhihong Liu"

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

**Scholar** Results 1 - 5 of 5 for hot-carrier 2005 OR 2004 OR 2003 OR 2002 OR 2001 OR 2000 "Zhihong Liu"

Did you mean: hot-carrier 2005 OR 2004 OR 2003 OR 2002 OR 2001 OR 2000 "Zhihong Li"

GLACIER: A Hot Carrier Gate Level Circuit Characterization and Simulation System for VLSI Design

L Wu, J Fang, H Yonezawa, Y Kawakami, N Koike, Y ... - Intl. Symposium on Quality Electronic Design, 2000 - doi.ieeecomputersociety.org

... Chune-Sin Yeh, and **Zhihong Liu** BTA Technology ... circuit characterization and simulation system for **hot carrier** effects (GLACIER ... O-7695-0525-2/00 \$10.00 0 2000 IEEE ...

Cited by 3 - [Web Search](#) - [ieeexplore.ieee.org](#) - [doi.ieeeecs.org](#) - [portal.acm.org](#) - [all 6 versions »](#)

Ratio based hot-carrier degradation modeling for aged timing simulation of millions of transistors ...

H Yonezawa, J Fang, Y Kawakami, N Iwanishi, L Wu, ... - Electron Devices Meeting, 1998. IEDM'98 Technical Digest., ..., 1998 - [ieeexplore.ieee.org](#)

... Ratio based **hot-carrier** degradation modeling for aged timing simulation of millions of transistors ... Chen, Ai-H. Koike, N. Ping Chen Chune-Sin Yeh **Zhihong Liu** Adv ...

Cited by 4 - [Web Search](#)

Build-in Reliability Analysis for Circuit Design in the Nanometer Technology Era

Z Liu, W Zhang, F Mu, N Modeling - [ieeexplore.ieee.org](#)

... 0-7803-8528-4/04/\$20.00 ©2004 IEEE 205 ... Design in the Nanometer Technology Era **Zhihong Liu**, Weiquan Zhang ... The extraction for HCI (**Hot Carrier** injection) and NBTI ...

[Web Search](#)

Gate-Level Aged Timing Simulation Methodology for Hot-Carrier Reliability Assurance

Y Kawakami, J Fang, H Yonezawa, N Iwanishi, L Wu, ... - [portal.acm.org](#)

... Norio Koike, † Ping Chen, † Chune-Sin Yeh, † **Zhihong Liu** ... 2000 IEEE ISBN 0-7803-5974-7 ... according to the result of the **hot-carrier** reliability simulation ...

[Web Search](#) - [ieeexplore.ieee.org](#) - [acm.org](#) - [sigda.org](#) - [all 6 versions »](#)

Novel self-convergent programming method using source-induced band-to-band hot electron injection

L Pan, J Zhu, Z Liu, Y Zeng, J Liu - IEEE Electron Device Letters, 2002 - [ieeexplore.ieee.org](#)

... 11, NOVEMBER 2002 ... Liyang Pan, Jun Zhu, **Zhihong Liu**, Ying Zeng, and Jianzhao Liu ... these methods, the self-converging drain avalanche **hot carrier** (DAHE) injection ...

[Web Search](#) - [ieeexplore.ieee.org](#) - [csa.com](#)

Did you mean to search for: hot-carrier 2005 OR 2004 OR 2003 OR 2002 OR 2001 OR 2000 "Zhihong Li"

hot-carrier 2005 OR 2004 OR 2003 OR 2002 OR 2001 OR 2000 "Zhihong Li"

Search



hot-carrier 2005 OR 2004 OR 2003 OR 2002 (

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

**Scholar** Results 1 - 2 of 2 for hot-carrier 2005 OR 2004 OR 2003 OR 2002 OR 2001 OR 2000 "Jeong Choi"

Tip: Try removing quotes from your search to get more results.

Data Retention Characteristics of Sub-100 nm NAND Flash Memory Cells

JD Lee, JH Choi, D Park, K Kim - IEEE ELECTRON DEVICE LETTERS, **2003** - [ieeexplore.ieee.org](http://ieeexplore.ieee.org)  
... 12, DECEMBER **2003** ming . ... K. Ishimaru, M. Takahashi, Y. Unno, Y. Okayama, F. Matsuoka,  
and M. Kinugawa, "Anomalous **hot-carrier** induced degrada ... Dig., **2002**, pp. ...  
[Web Search](#) - [ieeexplore.ieee.org](http://ieeexplore.ieee.org)

Effects of Interface Trap Generation and Annihilation on the Data Retention Characteristics of Flash ...

JD Lee, JH Choi, D Park, K Kim - IEEE Transactions on Device and Materials Reliability, **2004** -  
[ieeexplore.ieee.org](http://ieeexplore.ieee.org)  
... Manuscript received August 1, **2003**; revised November 19, **2003**. ... 1, MARCH **2004** ... Y. Okayama,  
F. Matsuoka, and M. Kinugawa, "Anomalous **hot-carrier** induced degrada ...  
[Web Search](#) - [ieeexplore.ieee.org](http://ieeexplore.ieee.org)

hot-carrier 2005 OR 2004 OR 2003 (

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2005 Google

[Web Search](#) - [ieeexplore.ieee.org](http://ieeexplore.ieee.org)

Initial Experiences with Dreamy Memory and the RAMpage Memory Hierarchy

P Machanick - [springerlink.com](http://springerlink.com)

... c Springer-Verlag Berlin Heidelberg 2004 ... 256Mb: x4, x8, x16 DDR SDRAM, December 2003. ...  
integrated circuit  $\mu$ PD4482162, 4482182, 4482322, 4482362, December 2002. ...

[Web Search](#)

Energy consumption and garbage collection in low-powered computing Technical Report: CU-CS-930-02

A Diwan, H Lee, D Grunwald, K Farkas - [cs.colorado.edu](http://cs.colorado.edu)

Page 1. Energy consumption and garbage collection in low-powered computing

Technical Report: CU-CS-930-02 □ Amer Diwan, Han Lee ...

[View as HTML](#) - [Web Search](#) - [www-plan.cs.colorado.edu](http://www-plan.cs.colorado.edu) - [cs.colorado.edu](http://cs.colorado.edu) - [www-plan.cs.colorado.edu](http://www-plan.cs.colorado.edu)

Google ►

Result Page: 1 2 [Next](#)

2005 OR 2004 OR 2003 OR 2002 OR 2001 OR 2000 " Bruce-McGaughy"

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2005 Google



"Lifeng Wu"

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

**Scholar**

Results 11 - 20 of about 27 for "Lifeng Wu". (0.05 seconds)

### GOALSERVER: A Multiobjective Design Optimization Tool for IC Fabrication Process

L Wu, Z Yang, Z Yu, Z Li - DAC, 1991 - [ieeexplore.ieee.org](#)  
 ... IC Fabrication Process **Lifeng Wu**, Zhilian Yang, Zhiping Yu, and Zhijian Li The  
 Institute of Microelectronics Tsinghua University Beijing 100084, China ...  
[Web Search](#) - [portal.acm.org](#) - [acm.org](#) - [portal.acm.org](#) - [all 5 versions](#) »

### Fast Decap Allocation Algorithm For Robust On-Chip Power Delivery

Z Qi, H Li, XDT Sheldon, L Wu, Y Cai, X Hong - Proceedings of the Sixth International Symposium on Quality ..., 2005 - [doi.ieeecomputersociety.org](#)  
 Adding on-chip decoupling capacitors (decaps) is an effective way to reduce  
 voltage noise in power/ground net- works and ensure robust power delivery. ...  
[Web Search](#) - [ee.ucr.edu](#) - [portal.acm.org](#)

### Full-chip reliability simulation for VDSM integrated circuits

L Wu, Z Liu - Microelectronics and Reliability, 2001 - [ingentaconnect.com](#)  
 IngentaConnect. ...  
[Web Search](#) - [ingentaconnect.com](#) - [csa.com](#)

### Partitioning-Based Approach to Fast On-Chip Decap Budgeting and Minimization

H Li, Z Qi, XDT Sheldon, L Wu, Y Cai, X Hong - Proceedings of the 42nd annual conference on Design ..., 2005 - [portal.acm.org](#)  
 ABSTRACT This paper proposes a fast decoupling capacitance (decap) allocation  
 and budgeting algorithm for both early stage decap estimation and later ...  
[Web Search](#) - [portal.acm.org](#)

### Gate-Level Aged Timing Simulation Methodology for Hot-Carrier Reliability Assurance

Y Kawakami, J Fang, H Yonezawa, N Iwanishi, L Wu, ... - [portal.acm.org](#)  
 Yoshiyuki Kawakami, † Jingkun Fang, Hirokazu Yonezawa, Nobufusa Iwanishi, ...  
 † Alvin I-Hsien Chen, †† Norio Koike, † Ping Chen, † Chune-Sin ...  
[Web Search](#) - [ieeexplore.ieee.org](#) - [acm.org](#) - [sigda.org](#) - [all 6 versions](#) »

### Dependence of Order-Disorder Transition on the Number of Blocks for Multiblock Copolymers

L Wu, EW Cochran, TP Lodge, FS Bates - American Physical Society, Annual APS March Meeting 2003, ..., 2003 - [adsabs.harvard.edu](#)  
 Title: Dependence of Order-Disorder Transition on the Number of Blocks for Multiblock  
 Copolymers Authors: Wu, Lifeng; Cochran, Eric W.; Lodge, Timothy P.; Bates ...  
[Web Search](#)

### Architecture Effect on Shear Alignment of Block Copolymers

L Wu, TP Lodge, FS Bates - American Physical Society, Annual APS March Meeting, March ..., 2002 - [adsabs.harvard.edu](#)  
 Title: Architecture Effect on Shear Alignment of Block Copolymers Authors: Wu, Lifeng;  
 Lodge, Timothy P.; Bates, Frank S. Affiliation: Department of Chemical ...  
[Web Search](#)

### SINTERING OF Ti<sub>3</sub>SiC<sub>2</sub> WITH B<sub>2</sub>O<sub>3</sub> ADDITIONS

K Tang, C Wang, L Wu, X Guo, X Xu, Y Huang - Ceramics International, 2002 - [ingentaconnect.com](#)  
 Titanium silicon carbide (Ti<sub>3</sub>SiC<sub>2</sub>) is a remarkable material for it combines  
 the best properties of metals and ceramics. When Ti<sub>3</sub>SiC<sub>2</sub> is synthesized ...

[Web Search](#) - [ingentaconnect.com](#) - [csa.com](#)

### Welcome Notes

SPI Through - [ieeexplore.ieee.org](#)

International Symposium on Quality Electronic Design, ISQED 2003. Due to the  
overwhelm- ing success of the first 3 conferences, despite the slump in the ...

[Web Search](#) - [doi.ieeecomputersociety.org](#) - [acm.org](#) - [csdl.computer.org](#) - [all 5 versions »](#)


### Build-in Reliability Analysis for Circuit Design in the Nanometer Technology Era

Z Liu, W Zhang, F Mu, N Modeling - [ieeexplore.ieee.org](#)

Page 1 Fig. 1 NBTI Modeling Flow 2004 IEEE International Conference on

Integrated Circuit Design and echnology 0-7803-8528-4/04/\$20.00 ©2004 IEEE ...

[Web Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [Next](#)

"Lifeng Wu"

[Search](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2005 Google

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

☐ Advanced Search[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#)

<input type="text"/>	in All Fields	
<b>AND</b>	<input type="text"/>	in All Fields
<b>AND</b>	<input type="text"/>	in All Fields

» Note: If you use all three search boxes, the entries in the first two boxes takes precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

<input type="text" value="jiang&lt;and&gt;le&lt;and&gt;kim&lt;and&gt;chung&lt;and&gt;Jensen&lt;and&gt;stress"/>	

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

**» Publications**☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference
- ☒ IEE Conference P
- ☒ IEEE Standards

**» Other Resources (Available)**

- ☒ IEEE Books

**» Select date range**

- ☐ Search latest content up to
- ☒ From year  to

**» Display Format**

- ☒ Citation ☐ Citatic

**» Organize results**

- Maximum
- Display  results
- Sort by
- In

[Help](#) [Contact Us](#)

© Copyright 2005

Indexed by  
 Inspec